Author Index

A

Albin RD: See Roach KE

Almeida GL, Campbell SK, Girolami GL, et al. Multidimensional assessment of motor function in a child with cerebral palsy following intrathecal administration of baclofen. 1997;77:751–764.

APTA Department of Professional Development. Response to letter to the editor. [RE: Editor's note: A matter of degree.] 1997;77:206.

Armstrong DG, Lavery LA, Liswood PJ, et al. Infrared dermal thermometry for the high-risk diabetic foot. 1997;77:169–177.

Atlanta FICSIT Group: See Wolf SL

B

Baldwin M: See Shumway-Cook A

Bandy WD, Irion JM, Briggler M. The effect of time and frequency of static stretching on flexibility of the hamstring muscles. 1997;77:1090–1096.

Barnhart HX: See Wolf SL

Bastian A J. Author response to letter to the editor. [RE: Mechanisms of ataxia.] 1997;77:1112–1113.

Bastian A J. Mechanisms of ataxia. 1997;77:672–675.

Bauman B. Letter to the editor. [RE: Editor's note: On women's health.] 1997;77:112.

Bedənbaugh P: See Byl NN

Beissner KL: Saunders RL

Binkley JM: See Chatman AB

Birke J. Invited commentary on "Infrared dermal thermometry for the high-risk diabetic foot." 1997;77:176–177.

Bohannon RW, Tiberio D, Zito MA. Letter to the editor. [RE: Improving ankle dorsiflexion.] 1997;77:982–983.

Bourgeois MC: See Jette DU

Bradley CA: See Crowe JM

Brandsma JW: See Hendriks EJM

Briggler M: See Bandy WD

Brimioulle S, Moraine J-J, Norrenberg D, Kahn R J. Effects of positioning and exercise on intracranial pressure in a neurosurgical intensive care unit. 1997;77:1682–1689.

Brown K: See Jensen GM

Brown MD: See Roach KE

Burton HW: See Taylor K

Bush A: See Russek L

Byl NN, Merzenich MM, Cheung S, et al. A primate model for studying focal dystonia and repetitive strain injury: effects on the primary somatosensory cortex. 1997;77:269–284.

C

Cahalin LP, Semigran M J, Dec GW. Author response to letter to the editor. [Re: Inspiratory muscle training in patients with chronic heart failure awaiting cardiac transplantation: results of a pilot clinical trial.] 1997;77: 1764–1765.

Cahalin LP, Semigran M J, Dec GW. Inspiratory muscle training in patients with chronic heart failure awaiting cardiac transplantation: results of a pilot clinical trial. 1997;77:830–838.

Campbell SK: See Almeida GL

Canavan PK: See Flynn TW

Carey TS: See Mielenz T J

Carmick J. Use of neuromuscular electrical stimulation and a dorsal wrist splint to improve the hand function of a child with spastic hemiparesis. 1997;77:661–671.

Cavanagh PR: See Flynn TW

Chan Y, Walmsley RP. Learning and understanding the Kruskal-Wallis one-way analysis-of-variance-by-ranks test for differences among three or more independent groups. 1997;77:1755–1762.

Chandler J: See Schenkman M

Chatman AB, Hyams SP, Neel JM, et al. The Patient-Specific Functional Scale: measurement properties in patients with knee dysfunction. 1997;77:820–829.

Chen Y-W: See Wang S-W

Cheung S: See Byl NN

Chiang J-H: See Flynn TW

Choi T: See Di Fabio RP

Chung F, Roy L. Letter to the editor. [RE: Effects of assistive devices on cardiorespiratory demands in older adults.] 1997;77:561, 563.

Colby L A: See Fishman MN

Collins SM: Letter to the editor. [RE: Inspiratory muscle training in patients

Author Index

A

Albin RD: See Roach KE

Almeida GL, Campbell SK, Girolami GL, et al. Multidimensional assessment of motor function in a child with cerebral palsy following intrathecal administration of baclofen. 1997;77:751–764.

APTA Department of Professional Development. Response to letter to the editor. [RE: Editor's note: A matter of degree.] 1997;77:206.

Armstrong DG, Lavery LA, Liswood PJ, et al. Infrared dermal thermometry for the high-risk diabetic foot. 1997;77:169–177.

Atlanta FICSIT Group: See Wolf SL

B

Baldwin M: See Shumway-Cook A

Bandy WD, Irion JM, Briggler M. The effect of time and frequency of static stretching on flexibility of the hamstring muscles. 1997;77:1090–1096.

Barnhart HX: See Wolf SL

Bastian A J. Author response to letter to the editor. [RE: Mechanisms of ataxia.] 1997;77:1112–1113.

Bastian A J. Mechanisms of ataxia. 1997;77:672–675.

Bauman B. Letter to the editor. [RE: Editor's note: On women's health.] 1997;77:112.

Bedənbaugh P: See Byl NN

Beissner KL: Saunders RL

Binkley JM: See Chatman AB

Birke J. Invited commentary on "Infrared dermal thermometry for the high-risk diabetic foot." 1997;77:176–177.

Bohannon RW, Tiberio D, Zito MA. Letter to the editor. [RE: Improving ankle dorsiflexion.] 1997;77:982–983.

Bourgeois MC: See Jette DU

Bradley CA: See Crowe JM

Brandsma JW: See Hendriks EJM

Briggler M: See Bandy WD

Brimioulle S, Moraine J-J, Norrenberg D, Kahn R J. Effects of positioning and exercise on intracranial pressure in a neurosurgical intensive care unit. 1997;77:1682–1689.

Brown K: See Jensen GM

Brown MD: See Roach KE

Burton HW: See Taylor K

Bush A: See Russek L

Byl NN, Merzenich MM, Cheung S, et al. A primate model for studying focal dystonia and repetitive strain injury: effects on the primary somatosensory cortex. 1997;77:269–284.

C

Cahalin LP, Semigran M J, Dec GW. Author response to letter to the editor. [Re: Inspiratory muscle training in patients with chronic heart failure awaiting cardiac transplantation: results of a pilot clinical trial.] 1997;77: 1764–1765.

Cahalin LP, Semigran M J, Dec GW. Inspiratory muscle training in patients with chronic heart failure awaiting cardiac transplantation: results of a pilot clinical trial. 1997;77:830–838.

Campbell SK: See Almeida GL

Canavan PK: See Flynn TW

Carey TS: See Mielenz T J

Carmick J. Use of neuromuscular electrical stimulation and a dorsal wrist splint to improve the hand function of a child with spastic hemiparesis. 1997;77:661–671.

Cavanagh PR: See Flynn TW

Chan Y, Walmsley RP. Learning and understanding the Kruskal-Wallis one-way analysis-of-variance-by-ranks test for differences among three or more independent groups. 1997;77:1755–1762.

Chandler J: See Schenkman M

Chatman AB, Hyams SP, Neel JM, et al. The Patient-Specific Functional Scale: measurement properties in patients with knee dysfunction. 1997;77:820–829.

Chen Y-W: See Wang S-W

Cheung S: See Byl NN

Chiang J-H: See Flynn TW

Choi T: See Di Fabio RP

Chung F, Roy L. Letter to the editor. [RE: Effects of assistive devices on cardiorespiratory demands in older adults.] 1997;77:561, 563.

Colby L A: See Fishman MN

Collins SM: Letter to the editor. [RE: Inspiratory muscle training in patients

with chronic heart failure awaiting cardiac transplantation: results of a pilot clinical trial.] 1997;77:1763.

Coogler CE: See Wolf SL

Corcos DM: See Almeida GL

Crosbie J: See Fransen M

Crowe JM, Bradley CA. The effectiveness of incentive spirometry with physical therapy for high-risk patients after coronary artery bypass surgery. 1997;77:260–268.

Cutson TM: See Schenkman M

D

Darter JD: See Mielenz TJ

de Lissovy G: See Mitchell JM

Dean E. Oxygen transport deficits in systemic disease and implications for physical therapy. 1997;77:187–202.

Dec GW: See Cahalin LP

Delaney KG: See Roach KE

Delitto A: See Jette AM

deMayo RA. Patient sexual behaviors and sexual harassment: a national survey of physical therapists. 1997;77:739–744.

Di Fabio RP. Introduction: new perspectives on balance. 1997;77:456–457.

Di Fabio RP, Choi T, Soderberg J, Hansen CR. Health-related quality of life for patients with progressive multiple sclerosis: influence of rehabilitation. 1997;77:1704–1716.

Di Fabio RP, Emasithi A. Aging and the mechanisms underlying head and postural control during voluntary motion. 1997;77:458–475.

Di Fabio RP, Seay R. Use of the "Fast Evaluation of Mobility, Balance, and Fear" in elderly community dwellers: validity and reliability. 1997;77:904–917.

Dietz V, Wirz M, Jensen L. Locomotion in patients with spinal cord injuries. 1997;77:508–516.

DiGesu M. Letter to the editor. [RE: The Journal: "functional and cost effective."] 1997;77:860.

Dixon DM: See Radtka SA

Dommerholt J. Letter to the editor. [RE: Treating patients involved in MVA.] 1997;77:678.

Dyrek DA: See Mielenz TJ

E

Edmonds J: See Fransen M

Ekedahl S: See Russek L

Elbaum L: See Haskins AR

Ellison GL: See Wolf SL

Emasithi A: See Di Fabio RP

Enloe LJ, Shields RK. Evaluation of health-related quality of life in individuals with vestibular disease using disease-specific and general outcome measures. 1997;77:890–903.

Erhard RE: See Fritz JM

Erhard RE: See Jones DL

Erhard RE: See Rothstein JM

F

Fish DR: See Taylor K

Fishman MN, Colby LA, Sachs LA, Nichols DS. Comparison of upper-extremity balance tasks and force platform testing in persons with hemiparesis. 1997;77:1052–1062.

Fitzgerald GK. Open versus closed kinetic chain exercise: issues in rehabilitation after anterior cruciate ligament reconstructive surgery. 1997;77:1747–1754.

Flynn TW, Canavan PK, Cavanagh PR, Chiang J-H. Plantar pressure reduction in an incremental weight-bearing system. 1997;77:410–416.

Foley MP. Author response to letter to the editor. [RE: Effects of assistive devices on cardiorespiratory demands in older adults.] 1997;77:563.

Ford-Smith CD. The individualized treatment of a patient with benign paroxymal positional vertigo. 1997;77:848–855.

Fransen M, Crosbie J, Edmonds J. Reliability of gait measurements in people with osteoarthritis of the knees. 1997;77:944–953.

Fritz JM, Erhard RE, Vignovic M. A nonsurgical treatment approach for patients with lumbar spinal stenosis. 1997;77:962–973.

G

Gajdosik RL. Letter to the editor. [RE: The effect of hamstring muscle stretching on standing posture and on lumbar and hip motions during forward bending.] 1997;77:438–439.

Garrett JM: See Mielenz TJ

Gasior B. Letter to the editor. [RE: Editor's note: It is *our* choice!] 1997;77:1765.

Gatto VJ. Letter to the editor. [RE: "Editor's note: A matter of degree."] 1997;77:204, 206.

Gibson JK: See Wilson DJ

Gill-Body KM, Popat RA, Parker SW, Krebs DE. Rehabilitation of balance in two patients with cerebellar dysfunction. 1997;77:534–552.

Ginn KA, Herbert RD, Khouw W, Lee R. A randomized, controlled clinical trial of a treatment for shoulder pain. 1997;77:802–811.

Girolami GL: See Almeida GL

Goldsmith CH: See Stratford PW

Gruber W: See Shumway-Cook A

H

Hall H: See Karas R

Hansen CR: See Di Fabio RP

Hard R: See Taylor K

Harris BA: See Mielenz TJ

Hasan Z. Invited commentary on "Contraction of the abdominal muscles associated with movement of the lower limb." 1997;77:142–143.

Haskins AR, Rose-St Prix C, Elbaum L. Covert bias in evaluation of physical therapist students' clinical performance. 1997;77:155–168.

Heald SL, Riddle DL, Lamb RL. The Shoulder Pain and Disability Index: the construct validity and responsiveness of a region-specific disability measure. 1997;77:1079–1089.

Heerkens YF: See Hendriks EJM

Hendriks EJM, Brandsma JW, Heerkens YF, et al. Intraobserver and interobserver reliability of assessments of impairments and disabilities. 1997;77:1097–1106.

Henry SM: See Horak FB

Herbert RD: See Ginn KA

Herdman SJ. Advances in the treatment of vestibular disorders. 1997;77:602–618.

Hislop HJ: See Powers CM

Hodges PW, Richardson CA. Contraction of the abdominal muscles associated with movement of the lower limb. 1997;77:132–144.

Hollman JE, Morgan BJ. Effect of transcutaneous electrical nerve stimulation on the pressor response to static handgrip exercise. 1997;77:28–36.

Horak FB. Invited commentary on "The effect of tai chi quan and computerized balance training on postural stability in older subjects." 1997;77:382–383.

Horak FB, Henry SM, Shumway-Cook A. Postural perturbations: new insights for treatment of balance disorders. 1997;77:517–533.

Hsu A: See Powers CM

Hyams SP: See Chatman AB

I

Ingram D. Opinions of physical therapy education program directors on essential functions. 1997;77:37–45.

Irion JM: See Bandy WD

J

Jeka J J. Light touch contact as a balance aid. 1997;77:476–487.

Jenkins WM: See Byl NN

Jensen GM, Brown K. Invited commentary on "Covert bias in evaluation of physical therapist students' clinical performance." 1997;77:165–166.

Jensen L: See Dietz V

Jette AM, Delitto A. Physical therapy treatment choices for musculoskeletal impairments. 1997;77:145–154.

Jette AM: See Jette DU

Jette DU, Jette AM. Author response to letter to the editor. [RE: Physical therapy and health outcomes in patients with knee impairments.] 1997;77:315.

Jette DU, Jette AM. Author response to letter to the editor. [RE: Physical therapy and health outcomes in patients with spinal impairments.] 1997;77:315.

Jette DU, Manago D, Medved E, et al. The disablement process in patients with pulmonary disease. 1997;77:385–394.

Johanson ME: See Radtka SA

Jones DL, Erhard RE. Diagnosis of trochanteric bursitis versus femoral neck stress fracture. 1997;77:58–67.

Jones G: See Wade MG

Jull GA: See Ng JK-F

K

Kahn R J: See Brimioulle S

Karas R, McIntosh G, Hall H, et al. The relationship between nonorganic signs and centralization of symptoms in the prediction of return to work for patients with low back pain. 1997;77:354–369.

Keehn M. Invited commentary on "The effect of hospital restructuring on the role of physical therapists in acute care." 1997;77:933–935.

Khouw W: See Ginn KA

Krebs DE: See Gill-Body KM

Krsnich-Shriwise S. Fibromyalgia syndrome: an overview. 1997;77:68–75.

Kuchibhatla M: See Schenkman M

L

Lamb RL: See Heald SL

Lavery LA: See Armstrong DG

Lee R: See Ginn KA

Liao S: See Shumway-Cook A

Lipprandt HM: See Roach KE

Liswood PJ: See Armstrong DG

Lohmann Siegel K: See Shrader JA

Lombardo G. Letter to the editor. [RE: Lumbar lordosis and pelvic inclination of asymptomatic adults.] 1997;77:439–440.

Lopopolo RB. The effect of hospital restructuring on the role of physical therapists in acute care. 1997;77:918–936.

Lowes LP: See Westcott SL

M

Maki BE, McIlroy WE. The role of limb movements in maintaining upright stance: the "change-in-support" strategy. 1997;77:488–507.

Manago D: See Jette DU

McClay IS. Invited commentary on "Are patellofemoral pain and quadriceps femoris muscle torque associated with locomotor function?" 1997;77: 1075–1077.

McIlroy WE: See Maki BE

McIntosh G: See Karas R

McManis BG: See Saunders RL

Medved E: See Jette DU

Melles T: See Karas R

Mendel FC: See Taylor K

Merzenich MM: See Byl NN

Michels E. Letter to the editor. [RE: Physical therapy and health outcomes in patients with knee impairments.] 1997;77:314–315.

Michels E. Letter to the editor. [RE: Physical therapy and health outcomes in patients with spinal impairments.] 1997;77:314–315.

Mielenz TJ, Carey TS, Dyrek DA, et al. Physical therapy utilization by patients with acute low back pain. 1997;77:1040–1051.

Mitchell JM, de Lissovoy G. A comparison of resource use and cost in direct access versus physician referral episodes of physical therapy. 1997;77:10–18.

Moffat M. The 1997 APTA Presidential Address: On the horizon. 1997;77: 1652–1656.

Monteiro ME. Physical therapy implications following the TRAM procedure. 1997;77:765–770.

Moraine J-J: See Brimioulle S

Morgan BJ: See Hollman JE

Moseley AM. The effect of casting combined with stretching on passive ankle dorsiflexion in adults with traumatic head injuries. 1997;77:240–259.

Mueller M J, Salsich GB, Strube MJ. Functional limitations in patients with diabetes and transmetatarsal amputations. 1997;77:937–943.

N

Nagarajan SS: See Byl NN

Neel JM: See Chatman AB

Nelson RM: See Hendriks EJM

Ng JK-F, Richardson CA, Jull GA. Electromyographic amplitude and frequency changes in the iliocostalis lumborum and multifidus muscles during a trunk holding test. 1997;77:954–961.

Nichols DS. Balance retraining after stroke using force platform biofeedback. 1997;77:553–558.

Nichols DS: See Fishman MN

Nicholson D: See Rothstein JM

Nicholson GG: See Rothstein JM

Nickerson A: See Jette DU

Norrenberg D: See Brimioulle S

O

Olson VL. Whiplash-associated chronic headache treated with home cervical traction. 1997;77:417–424.

Oostendorp RAB: See Hendriks EJM

P

Panturin E. Letter to the editor. [RE: Mechanisms of ataxia.] 1997;77:1112.

Parker SW: See Gill-Body KM

Penn RD: See Almeida GL

Perry J: See Powers CM

Pieper C: See Schenkman M

Polissar NL: See Shumway-Cook A

Popat RA: See Gill-Body KM

Powers CM, Perry J, Hsu A, Hislop HJ. Are patellofemoral pain and quadriceps femoris muscle torque associated with locomotor function? 1997;77:1063–1078.

R

Radtka SA, Skinner SR, Dixon DM, Johanson ME. A comparison of gait with solid, dynamic, and no ankle-foot orthoses in children with spastic cerebral palsy. 1997;77:395–409.

Rangelli D: See Roach KE

Reid WD, Shanks J, Samrai B. Regional and fiber-type percentages and sizes in the hamster diaphragm after swim training. 1997;77:178–186.

Richardson CA: See Hodges PW

Richardson CA: See Ng JK-F

Richardson PK: See Westcott SL

Riddle DL: See Heald SL

Riolo L: See Rothstein JM

Roach KE, Brown MD, Albin RD, *et al.* The sensitivity and specificity of pain response to activity and position in categorizing patients with low back pain. 1997:77;730–738.

Rose-St Prix C: See Haskins AR

Rothstein JM. Editor's note: "Break on Through." 1997;77:1680–1681.

Rothstein JM. Editor's note: Dear Mike. 1997;77:7–9.

Rothstein JM. Editor's note: Divided we fall. 1997;77:130–131.

Rothstein JM. Editor's note: Hurtful language. 1997;77:712–713.

Rothstein JM. Editor's note: Illuminating balance. 1997;77:455.

Rothstein JM. Editor's note: In the soul. 1997;77:600–601.

Rothstein JM. Editor's note: It is *our* choice! 1997;77:800–801.

Rothstein JM. Editor's note: Letting go of the big lie. 1997;77:1024–1025.

Rothstein JM. Editor's note: On the Guide. 1997;77:1160–1161.

Rothstein JM. Editor's note: TK. 1997;77:1680–1681.

Rothstein JM. Editor's note: Translator, please! 1997;77:888–889.

Rothstein JM. Editor's note: Unnecessary adversaries. 1997;77:352–353.

Rothstein JM. Editor's note: Zipporah had a question. 1997;77:238–239.

Rothstein JM. Editor's response to letter to the editor. [RE: A matter of degree.] Gatto VJ. 1997;77:206.

Rothstein JM. Editor's response to letter to the editor. [RE: Zipporah had a question.] Snyder-Mackler L. 1997;77:859–860.

Rothstein JM, Erhard RE, Nicholson GG, Scalzitti DA. Conference on "The relationship between nonorganic signs and centralization of symptoms in the prediction of return to work for patients with low back pain." 1997;77:361–368.

Rothstein JM, Nicholson D, Riolo L, Wiggs L. Conference on "The effect of casting combined with stretching on passive ankle dorsiflexion in adults with traumatic head injuries." 1997;77:248–258.

Roy L: See Chung F

Ruhland JL, Shields RK. The effects of a home exercise program on impairment and health-related quality of life in persons with chronic peripheral neuropathies. 1997;77:1026–1039.

Russek L, Wooden M, Ekedahl S, Bush A. Attitudes toward standardized data collection. 1997;77:714–729.

S

Sachs L A: See Fishman MN

Salsich GB: See Mueller MJ

Samrai B: See Reid WD

Saunders RL, Beissner KL, McManis BG. Estimates of weight that subjects can lift frequently in functional capacity evaluations. 1997;77:1717–1728.

Scalzitti DA. Screening for psychological factors in patients with low back problems: Waddell's nonorganic signs. 1997;77:306–312.

Scalzitti DA: See Rothstein JM

Schenkman M, Cutson TM, Kuchibhatla M, *et al.* Reliability of impairment and physical performance measures for persons with Parkinson's disease. 1997;77:19–27.

Schomberg A: See Chatman AB

Seay R: See Di Fabio RP

Semigran M J: See Cahalin LP

Shanks J: See Reid WD

Shields RK: See Enloe LJ

Shields RK: See Ruhland JL

Shrader JA, Lohmann Siegel K. Postsurgical hindfoot deformity of a patient with rheumatoid arthritis treated with custom-made foot orthoses and shoe modifications. 1997;77:296–305.

Shumway-Cook A, Baldwin M, Polissar NL, Gruber W. Predicting the probability for falls in community-dwelling older adults. 1997;77:812–819.

Shumway-Cook A, Gruber W, Baldwin M, Liao S. The effect of multidimensional exercises on balance, mobility, and fall risk in community-dwelling older adults. 1997;77:46–57.

Shumway-Cook A: See Horak FB

Shyu B-C: See Wang S-F

Simpson SD. Invited commentary on "Covert bias in evaluation of physical therapist students' clinical performance." 1997;77:163–164.

Skinner SR: See Radtka SA

Smith BK: See Wilson DJ

Snyder-Mackler L. Letter to the editor. [RE: Zipporah had a question.] 1997;77:859.

Soderberg J: See Di Fabio RP

Speechley M: See Tassone MR

Stabler M: See Chatman AB

Stratford PW, Goldsmith CH. Use of the standard error as a reliability index of interest: an applied example using elbow flexor strength data. 1997;77:745–750.

Stratford PW: See Chatman AB

Strube M J: See Mueller MJ

T

Tang P-F: See Woollacott MH

Tassone MR, Speechley M. Geographical challenges for physical therapy continuing education: preferences and influences. 1997;77:285–295.

Taylor K, Mendel FC, Fish DR, *et al.* Effect of high-voltage pulsed current and alternating current on macromolecular leakage in hamster cheek pouch microcirculation. 1997;77:1729–1740.

Thomeé R. A comprehensive treatment approach for patellofemoral pain syndrome in young women. 1997;77:1690–1703.

Tiberio D: See Bohannon RW

Todd WF: See Armstrong DG

Tredwell JA: See Armstrong DG

V

Vignovic M: See Fritz JM

W

Wade MG, Jones G. The role of vision and spatial orientation in the maintenance of posture. 1997;77:619–628.

Walmsley RP: See Chan Y

Wang S-F, Chen Y-W, Shyu B-C. The suppressive effect of electrical stimulation on nociceptive responses in the rat. 1997;77:839–847.

Warzycha T: See Jette DU

Westcott SL, Lowes LP, Richardson PK. Evaluation of postural stability in children: current theories and assessment tools. 1997;77:629–645.

Wiggs L: See Rothstein JM

Wilk KE. Invited commentary on "A randomized, controlled clinical trial of a treatment for shoulder pain." 1997;77:810–811.

Wilson DJ, Smith BK, Gibson JK. Accuracy of reconstructed angular estimates obtained with the Ariel Performance Analysis System™. 1997;77:1741–1746.

Wilson L: See Karas R

Wirz M: See Dietz V

Wolf SL, Barnhart HX, Ellison GL, et al. The effect of tai chi quan and computerized balance training on postural stability in older subjects. 1997;77:371–384.

Wooden M: See Russek L

Woodruff LD. Invited commentary on "Covert bias in evaluation of physical therapist students' clinical performance." 1997;77:167.

Woollacott MH, Tang P-F. Balance control during walking in the older adult: research and its implications. 1997;77:646–660.

Z

Zadai CZ: See Jette DU

Zito MA: See Bohannon RW

Subject Index

A

Ambulation Aids

General

[Effects of assistive devices on cardiorespiratory demands in older adults. Foley MP, Prax B, Crowell R, Boone T. 1996;76:1313–1319.]

- Letter to the editor. Chung F, Roy L. 1997;77:561, 563.
- Author response. 1997;77:563.

American Physical Therapy Association

Awards. 1997;77:986, 1115.

- Correction. 1997;77:1112.

Bylaws. 1997;77:1116–1124.

Call for Nominations. 1997;77:991–992.

Code of Ethics. 1997;77:105.

Editor's note: On the Guide. Rothstein JM. 1997;77:1160–1161.

Elected and Appointed Groups. 1997;77:988–990.

Guide for Conduct of the Affiliate Member. 1997;77:109–110.

Guide for Professional Conduct. 1997;77:106–108.

Guide to Physical Therapist Practice. 1997;77:1163–1650.

In Tribute: Eugene Michels. 1997;77:113.

In Tribute: Dorothy Voss. 1997;77:315.

Judicial Committee Disciplinary Action. 1997;77:112.

Membership Qualifications. 1997;77:1131–1132.

Membership Rights. 1997;77:1130.

Membership Statistics. 1997;77:690.

The 1997 APTA Presidential Address: On the horizon. Moffat M. 1997;77:1652–1656.

Nominees for National Office. 1997;77:321.

- Revised Slate. 1997;77:440.

Report of the House of Delegates. 1997;77:984.

Standards of Ethical Conduct for the Physical Therapist Assistant. 1997;77:109.

Standards of Practice for Physical Therapy and the Accompanying Criteria. 1997;77:102–105.

Standing Rules. 1997;77:1126–1128.

Amputations

Lower Extremity

Functional limitations in patients with diabetes and transmetatarsal amputations. Mueller MJ, Salsich GB, Strube MJ. 1997;77:937–943.

Arthritis

Osteoarthritis

Reliability of gait measurements in people with osteoarthritis of the knees. Fransen M, Crosbie J, Edmonds J. 1997;77:944–953.

Rheumatoid Arthritis

Postsurgical hindfoot deformity of a patient with rheumatoid arthritis treated with custom-made foot orthoses and shoe modifications. Shrader JA, Lohmann Siegel K. 1997;77:296–305.

B

Balance

Advances in the treatment of vestibular disorders. Herdman SJ. 1997;77:602–618.

Aging and the mechanisms underlying head and postural control during voluntary motion. Di Fabio RP, Emasithi A. 1997;77:458–475.

Balance control during walking in the older adult: research and its implications. Woollacott MH, Tang P-F. 1997;77:646–660.

Balance retraining after stroke using force platform biofeedback. Nichols DS. 1997;77:553–558.

Comparison of upper-extremity balance tasks and force platform testing in persons with hemiparesis. Fishman MN, Colby LA, Sachs LA, Nichols DS. 1997;77:1052–1062.

The effect of tai chi quan and computerized balance training on postural stability in older subjects. Wolf SL, Barnhart HX, Ellison GL, et al. 1997;77:371–381.

- Invited commentary. Horak FB. 1997;77:382–383.
- Author response. 1997;77:383–384.

Evaluation of postural stability in children: current theories and

assessment tools. Westcott SL, Lowes LP, Richardson PK. 1997;77:629–645.

The individualized treatment of a patient with benign paroxymal positional vertigo. Ford-Smith CD. 1997;77:848–855.

Introduction: new perspectives on balance. Di Fabio RP. 1997;77:456–457.

Letter to the editor. [RE: The Journal: "functional and cost effective."] DiGesu M. 1997;77:860.

Light touch contact as a balance aid. Jeka JJ. 1997;77:476–487.

Locomotion in patients with spinal cord injuries. Dietz V, Wirz M, Jensen L. 1997;77:508–516.

Postural perturbations: new insights for treatment of balance disorders. Horak FB, Henry SM, Shumway-Cook A. 1997;77:517–533.

Predicting the probability for falls in community-dwelling older adults. Shumway-Cook A, Baldwin M, Polissar NL, Gruber W. 1997;77:812–819.

Rehabilitation of balance in two patients with cerebellar dysfunction. Gill-Body KM, Popat RA, Parker SW, Krebs DE. 1997;77:534–552.

The role of limb movements in maintaining upright stance: the "change-in-support" strategy. Maki BE, McIlroy WE. 1997;77:488–507.

The role of vision and spatial orientation in the maintenance of posture. Wade MG, Jones G. 1997;77:619–628.

Use of the "Fast Evaluation of Mobility, Balance, and Fear" in elderly community dwellers: validity and reliability. Di Fabio RP, Seay R. 1997;77:904–917.

Biofeedback

Balance retraining after stroke using force platform biofeedback. Nichols DS. 1997;77:553–558.

[Learning a partial weight-bearing skill: effectiveness of two forms of feedback. Winstein CJ, Pohl PS, Cardinale C, et al. 1996;76:985–993.]

- Correction. 1997;77:315.

C

Cardiac

General

Balance retraining after stroke using force platform biofeedback. Nichols DS. 1997;77:553–558.

The effectiveness of incentive spirometry with physical therapy for high-risk patients after coronary artery bypass surgery. Crowe JM, Bradley CA. 1997;77:260–268.

Effects of positioning and exercise on intracranial pressure in a neurosurgical intensive care unit. Brimioulle S, Moraine J-J, Norrenberg D, Kahn RJ. 1997;77:1682–1689.

Inspiratory muscle training in patients with chronic heart failure awaiting cardiac transplantation: results of a pilot clinical trial. Cahalin LP, Semigran MJ, Dec GW. 1997;77:830–838.

- Letter to the editor. Collins SM. 1997; 77:1763.
- Author response. 1997;77:1764–1765.

Mechanisms of ataxia. Bastian AJ. 1997;77:672–675.

- Letter to the editor. Panturin E. 1997; 77:1112.
- Author response. 1997;77:1112–1113.

Oxygen transport deficits in systemic disease and implications for physical therapy. Dean E. 1997;77:187–202.

Cerebral Palsy

Evaluation

Multidimensional assessment of motor function in a child with cerebral palsy following intrathecal administration of baclofen. Almeida GL, Campbell SK, Girolami GL, et al. 1997;77:751–764.

General

Use of neuromuscular electrical stimulation and a dorsal wrist splint to improve the hand function of a child with spastic hemiparesis. Carmick J. 1997;77:661–671.

- Correction. 1997;77:859.

Orthoses

A comparison of gait with solid, dynamic, and no ankle-foot orthoses in children with spastic cerebral palsy. Radtka SA, Skinner SR, Dixon DM, Johanson ME. 1997;77:395–409.

D

Decision Making

The sensitivity and specificity of pain response to activity and position in categorizing patients with low back pain. Roach KE, Brown MD, Albin RD, et al. 1997;77:730–738.

Diabetes

Functional limitations in patients with diabetes and transmetatarsal amputations. Mueller MJ, Salsich GB, Strube MJ. 1997;77:937–943.

Infrared dermal thermometry for the high-risk diabetic foot. Armstrong DG, Lavery LA, Liswood PJ, et al. 1997;77:169–175.

- Invited commentary. Birke J. 1997;77:176–177.
- Author response. 1997;77:177.

Diagnosis

Letter to the editor. [RE: Treating patients involved in MVA.] Dommerholt J. 1997;77:678.

The relationship between nonorganic signs and centralization of symptoms in the prediction of return to work for patients with low back pain. Karas R, McIntosh G, Hall H, et al. 1997;77:354–360.

- Conference. Rothstein JM, Erhard RE, Nicholson GG, Scalzitti DA. 1997;77:361–368.
- Author comment. 1997;77:369.

Screening for psychological factors in patients with low back problems: Waddell's nonorganic signs. Scalzitti DA. 1997;77:306–312.

The sensitivity and specificity of pain response to activity and position in categorizing patients with low back pain. Roach KE, Brown MD, Albin RD, et al. 1997;77:730–738.

E

Edema

Effect of high-voltage pulsed current and alternating current on macromolecular leakage in hamster cheek pouch microcirculation. Taylor K, Mendel FC, Fish DR, et al. 1997;77:1729–1740.

Editor's Notes

Editor's note: "Break on Through." Rothstein JM. 1997;77:1680–1681.

Editor's note: Dear Mike. Rothstein JM. 1997;77:7–9.

Editor's note: Divided we fall. Rothstein JM. 1997;77:130–131.

Editor's note: Hurtful language. Rothstein JM. 1997;77:712–713.

Editor's note: Illuminating balance. Rothstein JM. 1997;77:455.

Editor's note: In the soul. Rothstein JM. 1997;77:600–601.

Editor's note: It is *our* choice! Rothstein JM. 1997;77:800–801.

- Letter to the editor. Gasior B. 1997; 77:1765.

Editor's note: Letting go of the big lie. Rothstein JM. 1997;77:1024–1025.

[Editor's note: A matter of degree. Rothstein JM. 1996;76:1054–1056.]

- Letter to the editor. Gatto VJ. 1997;77:204, 206.
- Editor's response. 1997;77:206.
- APTA Department of Professional Development's response. 1997;77:206.

Editor's note: On the Guide. Rothstein JM. 1997;77:1160–1161.

[Editor's note: On women's health. Rothstein JM. 1996;76:704–705.]

- Letter to the editor. Bauman B. 1997;77:112.

Editor's note: Translator, please! Rothstein JM. 1997;77:888–889.

Editor's note: Unnecessary adversaries. Rothstein JM. 1997;77:352–353.

Editor's note: Zipporah had a question. Rothstein JM. 1997;77:238–239.

- Letter to the editor. Snyder-Mackler L. 1997;77:859.
- Editor's response. 1997;77:859–860.

Education: Physical Therapist

Clinical Education

Covert bias in evaluation of physical therapist students' clinical performance. Haskins AR, Rose-St Prix C, Elbaum L. 1997;77:155–163.

- Invited commentary. Simpson SD. 1997;77:163–164.
- Invited commentary. Jensen GM, Brown K. 1997;77:165–166.
- Invited commentary. Woodruff LD. 1997;77:167.
- Author response. 1997;77:168.

Continuing Education

Geographical challenges for physical therapy continuing education: preferences and influences. Tassone MR, Speechley M. 1997;77:285–295.

General

Opinions of physical therapy education program directors on essential functions. Ingram D. 1997;77:37–45.

Electromyography

Electromyographic amplitude and frequency changes in the iliocostalis lumborum and multifidus muscles during a trunk holding test. Ng JK-F, Richardson CA, Jull GA. 1997;77:954–961.

Postural perturbations: new insights for treatment of balance disorders. Horak FB, Henry SM, Shumway-Cook A. 1997;77:517–533.

Electrotherapy

Electrical Stimulation

Effect of high-voltage pulsed current and alternating current on macromolecular leakage in hamster cheek pouch microcirculation. Taylor K, Mendel FC, Fish DR, et al. 1997;77:1729–1740.

Effect of transcutaneous electrical nerve stimulation on the pressor response to static handgrip exercise. Hollman JE, Morgan BJ. 1997;77:28–36.

The suppressive effect of electrical stimulation on nociceptive responses in the rat. Wang S-F, Chen Y-W, Shyu B-C. 1997;77:839–847.

Use of neuromuscular electrical stimulation and a dorsal wrist splint to improve the hand function of a child with spastic hemiparesis. Carmick J. 1997;77:661–671.

- Correction. 1997;77:859.

Energy Expenditure

Plantar pressure reduction in an incremental weight-bearing system. Flynn TW, Canavan PK, Cavanagh PR, Chiang J-H. 1997;77:410–416.

Equipment

Exercise

Plantar pressure reduction in an incremental weight-bearing system. Flynn TW, Canavan PK, Cavanagh PR, Chiang J-H. 1997;77:410–416.

General

Accuracy of reconstructed angular estimates obtained with the Ariel Performance Analysis System™. Wilson DJ, Smith BK, Gibson JK. 1997;77:1741–1746.

Light touch contact as a balance aid. Jeka JJ. 1997;77:476–487.

Use of neuromuscular electrical stimulation and a dorsal wrist splint to improve the hand function of a child with spastic hemiparesis. Carmick J. 1997;77:661–671.

- Correction. 1997;77:859.

Exercise

General

The effect of multidimensional exercises on balance, mobility, and fall risk in community-dwelling older adults. Shumway-Cook A, Gruber W, Baldwin M, Liao S. 1997;77:46–57.

The effect of tai chi quan and computerized balance training on postural stability in older subjects. Wolf SL, Barnhart HX, Ellison GL, et al. 1997;77:371–381.

- Invited commentary. Horak FB. 1997;77:382–383.
- Author response. 1997;77:383–384.

Effect of transcutaneous electrical nerve stimulation on the pressor response to static handgrip exercise. Hollman JE, Morgan BJ. 1997;77:28–36.

Effects of positioning and exercise on intracranial pressure in a neurosurgical intensive care unit. Brimioulle S, Moraine J-J, Norrenberg D, Kahn RJ. 1997;77:1682–1689.

The individualized treatment of a patient with benign paroxymal positional vertigo. Ford-Smith CD. 1997;77:848–855.

Inspiratory muscle training in patients with chronic heart failure awaiting cardiac transplantation: results of a pilot clinical trial. Cahalin LP, Semigran MJ, Dec GW. 1997;77:830–838.

- Letter to the editor. Collins SM. 1997; 77:1763.
- Author response. 1997;77:1764–1765.

Open versus closed kinetic chain exercise: issues in rehabilitation after anterior cruciate ligament reconstructive surgery. Fitzgerald GK. 1997;77:1747–1754.

Plantar pressure reduction in an incremental weight-bearing system. Flynn TW, Canavan PK, Cavanagh PR, Chiang J-H. 1997;77:410–416.

Whiplash-associated chronic headache treated with home cervical traction. Olson VL. 1997;77:417–424.

Range of Motion

A randomized, controlled clinical trial of a treatment for shoulder pain. Ginn KA, Herbert RD, Khouw W, Lee R. 1997;77:802–809.

- Invited commentary. Wilk KE. 1997;77:810–811.
- Author response. 1997;77:811.

Strengthening

The effects of a home exercise program on impairment and health-related quality of life in persons with chronic peripheral neuropathies. Ruhland JL, Shields RK. 1997;77:1026–1039.

F

Fatigue

Fibromyalgia syndrome: an overview. Krsnich-Shriwise S. 1997;77:68–75.

Functional Training and Activities

The disablement process in patients with pulmonary disease. Jette DU, Manago D, Medved E, et al. 1997;77:385–394.

- Correction. 1997;77:561.

Estimates of weight that subjects can lift frequently in functional capacity evaluations. Saunders RL, Beissner KL, McManis BG. 1997;77:1717–1728.

A randomized, controlled clinical trial of a treatment for shoulder pain. Ginn KA, Herbert RD, Khouw W, Lee R. 1997;77:802–809.

- Invited commentary. Wilk KE. 1997;77:810–811.
- Author response. 1997;77:811.

G

Geriatrics

Balance control during walking in the older adult: research and its implications. Woollacott MH, Tang P-F. 1997;77:646–660.

The effect of multidimensional exercises on balance, mobility, and fall risk in community-dwelling older adults. Shumway-Cook A, Gruber W, Baldwin M, Liao S. 1997;77:46–57.

The effect of tai chi quan and computerized balance training on postural stability in older subjects. Wolf SL, Barnhart HX, Ellison GL, et al. 1997;77:371–381.

- Invited commentary. Horak FB. 1997;77:382–383.
- Author response. 1997;77:383–384.

Predicting the probability for falls in community-dwelling older adults. Shumway-Cook A, Baldwin M, Polissar NL, Gruber W. 1997;77:812–819.

Use of the "Fast Evaluation of Mobility, Balance, and Fear" in elderly community dwellers: validity and reliability. Di Fabio RP, Seay R. 1997;77:904–917.

H

Head Injury

The effect of casting combined with stretching on passive ankle dorsiflexion in adults with traumatic head injuries. Moseley AM. 1997;77:240–247.

- Conference. Rothstein JM, Nicholson D, Riolo L, Wiggs L. 1997;77:248–258.
- Author comment. 1997;77:259.
- Letter to the editor. Bohannon RW, Tiberio D, Zito MA. 1997;77:982–983.

Health Care

Physical therapy utilization by patients with acute low back pain. Mielenz TJ, Carey TS, Dyrek DA, et al. 1997;77:1040–1051.

Health Status

Intraobserver and interobserver reliability of assessments of impairments and disabilities. Hendriks EJM, Brandsma JW, Heerkens YF, et al. 1997;77:1097–1106.

The Shoulder Pain and Disability Index: the construct validity and responsiveness of a region-specific disability measure. Heald SL, Riddle DL, Lamb RL. 1997;77:1079–1089.

Hemiplegia

Evaluation

Comparison of upper-extremity balance tasks and force platform testing in persons with hemiparesis. Fishman MN, Colby LA, Sachs LA, Nichols DS. 1997;77:1052–1062.

Home Care

The effects of a home exercise program on impairment and health-related quality of life in persons with chronic peripheral neuropathies. Ruhland JL, Shields RK. 1997;77:1026–1039.

Whiplash-associated chronic headache treated with home cervical traction. Olson VL. 1997;77:417–424.

K

Kinesiology/Biomechanics

Gait Analysis

Are patellofemoral pain and quadriceps femoris muscle torque associated with locomotor function? Powers CM, Perry J, Hsu A, Hislop HJ. 1997;77:1063–1075.

- Invited comment..ry. McClay IS. 1997;77:1075–1077.
- Author response. 1997;77:1077–1078.

A comparison of gait with solid, dynamic, and no ankle-foot orthoses in children with spastic cerebral palsy. Radtka SA, Skinner SR, Dixon DM, Johanson ME. 1997;77:395–409.

[Effects of assistive devices on cardiorespiratory demands in older adults. Foley MP, Prax B, Crowell R, Boone T. 1996;76:1313–1319.]

- Letter to the editor. Chung F, Roy L. 1997;77:561, 563.
- Author response. 1997;77:563.

Plantar pressure reduction in an incremental weight-bearing system. Flynn TW, Canavan PK, Cavanagh PR, Chiang J-H. 1997;77:410–416.

Reliability of gait measurements in people with osteoarthritis of the knees. Fransen M, Crosbie J, Edmonds J. 1997;77:944–953.

General

Locomotion in patients with spinal cord injuries. Dietz V, Wirz M, Jensen L. 1997;77:508–516.

The role of limb movements in maintaining upright stance: the "change-in-support" strategy. Maki BE, McIlroy WE. 1997;77:488–507.

L

Law and Liability

General

Opinions of physical therapy education program directors on essential functions. Ingram D. 1997;77:37–45.

Lower Extremity

Ankle and Foot

The effect of casting combined with stretching on passive ankle dorsiflexion in adults with traumatic head injuries. Moseley AM. 1997;77:240–247.

- Conference. Rothstein JM, Nicholson D, Riolo L, Wiggs L. 1997;77:248–258.

- Author comment. 1997;77:259.
- Letter to the editor. Bohannon RW, Tiberio D, Zito MA. 1997;77:982–983.

Functional limitations in patients with diabetes and transmetatarsal amputations. Mueller MJ, Salsich GB, Strube MJ. 1997;77:937–943.

Infrared dermal thermometry for the high-risk diabetic foot. Armstrong DG, Lavery LA, Liswood PJ, et al. 1997;77:169–175.

- Invited commentary. Birke J. 1997;77:176–177.
- Author response. 1997;77:177.

General

Contraction of the abdominal muscles associated with movement of the lower limb. Hodges PW, Richardson CA. 1997;77:132–142.

- Invited commentary. Hasan Z. 1997;77:142–143.
- Author response. 1997;77:144.

[The effect of hamstring muscle stretching on standing posture and on lumbar and hip motions during forward bending. Li Y, McClure PW, Pratt N. 1996;76:836–845.]

- [Invited commentary. Sahrmann SA. 1996;76:845–846.]
- [Invited commentary. Snyder-Mackler L. 1996;76:847.]
- [Author response. 1996;76:847–849.]
- Letter to the editor. Gajdosik RL. 1997;77:438–439.

The effect of time and frequency of static stretching on flexibility of the hamstring muscles. Bandy WD, Irion JM, Briggler M. 1997;77:1090–1096.

Hip

Diagnosis of trochanteric bursitis versus femoral neck stress fracture. Jones DL, Erhard RE. 1997;77:58–67.

Knee

Are patellofemoral pain and quadriceps femoris muscle torque associated with locomotor function? Powers CM, Perry J, Hsu A, Hislop HJ. 1997;77:1063–1075.

- Invited commentary. McClay IS. 1997;77:1075–1077.
- Author response. 1997;77:1077–1078.

A comprehensive treatment approach for patellofemoral pain syndrome in young women. Thomeé R. 1997;77:1690–1703.

Open versus closed kinetic chain exercise: issues in rehabilitation after anterior cruciate ligament reconstructive surgery. Fitzgerald GK. 1997;77:1747–1754.

The Patient-Specific Functional Scale: measurement properties in patients with knee dysfunction. Chatman AB, Hyams SP, Neel JM, et al. 1997;77:820–829.

[Physical therapy and health outcomes in patients with knee impairments. Jette DU, Jette AM. 1996;76:1178–1186.]

- Letter to the editor. Michels E. 1997;77:314–315.
- Author response. 1997;77:315.

Reliability of gait measurements in people with osteoarthritis of the knees. Fransen M, Crosbie J, Edmonds J. 1997;77:944–953.

M

Motor Activity

Multidimensional assessment of motor function in a child with cerebral palsy following intrathecal administration of baclofen. Almeida GL, Campbell SK, Girolami GL, et al. 1997;77:751–764.

Motor Skills

Contraction of the abdominal muscles associated with movement of the lower limb. Hodges PW, Richardson CA. 1997;77:132–142.

- Invited commentary. Hasan Z. 1997;77:142–143.
- Author response. 1997;77:144.

Movement Science

Accuracy of reconstructed angular estimates obtained with the Ariel Performance Analysis System™. Wilson DJ, Smith BK, Gibson JK. 1997;77:1741–1746.

Are patellofemoral pain and quadriceps femoris muscle torque associated with locomotor function? Powers CM, Perry J, Hsu A, Hislop HJ. 1997;77:1063–1075.

- Invited commentary. McClay IS. 1997;77:1075–1077.
- Author response. 1997;77:1077–1078.

Mechanisms of ataxia. Bastian AJ. 1997;77:672–675.

- Letter to the editor. Panturin E. 1997;77:1112.
- Author response. 1997;77:1112–1113.

Movement Skills

The effect of tai chi quan and computerized balance training on postural stability in older subjects. Wolf SL, Barnhart HX, Ellison GL, et al. 1997;77:371–381.

- Invited commentary. Horak FB. 1997;77:382–383.
- Author response. 1997;77:383–384.

Muscle

[The effect of hamstring muscle stretching on standing posture and on lumbar and hip motions during forward bending. Li Y, McClure PW, Pratt N. 1996;76:836–845.]

- [Invited commentary. Sahrmann SA. 1996;76:845–846.]
- [Invited commentary. Snyder-Mackler L. 1996;76:847.]
- [Author response. 1996;76:847–849.]
- Letter to the editor. Gajdosik RL. 1997;77:438–439.

Physical therapy implications following the TRA procedure. Monteiro ME. 1997;77:765–770.

Physical therapy treatment choices for musculoskeletal impairments. Jette AM, Delitto A. 1997;77:145–154.

Regional and fiber-type percentages and sizes in the hamster diaphragm after swim training. Reid WD, Shanks J, Samrai B. 1997;77:178–186.

Muscle Performance

General

[Lumbar lordosis and pelvic inclination of asymptomatic adults. Youdas JW, Garrett TR, Harmsen S, et al. 1996;76:1066–1081.]

- Letter to the editor. Lombardo G. 1997;77:439–440.

Lower Extremity

Are patellofemoral pain and quadriceps femoris muscle torque associated with locomotor function? Powers CM, Perry J, Hsu A, Hislop HJ. 1997;77:1063–1075.

- Invited commentary. McClay IS. 1997;77:1075–1077.
- Author response. 1997;77:1077–1078.

Contraction of the abdominal muscles associated with movement of the lower limb. Hodges PW, Richardson CA. 1997;77:132–142.

- Invited commentary. Hasan Z. 1997;77:142–143.
- Author response. 1997;77:144.

The effect of time and frequency of static stretching on flexibility of the hamstring muscle. Bandy WD, Irion JM, Briggler M. 1997;77:1090–1096.

Trunk

Electromyographic amplitude and frequency changes in the iliocostalis lumborum and multifidus muscles during a trunk holding test. Ng JK-F, Richardson CA, Jull GA. 1997;77:954–961.

N

Neck and Trunk

Back

Electromyographic amplitude and frequency changes in the iliocostalis lumborum and multifidus muscles during a trunk holding test. Ng JK-F, Richardson CA, Jull GA. 1997;77:954–961.

[Lumbar lordosis and pelvic inclination of asymptomatic adults. Youdas JW, Garrett TR, Harmsen S, et al. 1996;76:1066–1081.]

- Letter to the editor. Lombardo G. 1997;77:439–440.

A nonsurgical treatment approach for patients with lumbar spinal stenosis. Fritz JM, Erhard RE, Vignovic M. 1997;77:962–973.

[Physical therapy and health outcomes in patients with spinal impairments. Jette DU, Jette AM. 1996;76:930–941.]

- Letter to the editor. Michels E. 1997;77:314–315.
- Author response. 1997;77:315.

Physical therapy implications following the TRAM procedure. Monteiro ME. 1997;77:765–770.

Physical therapy treatment choices for musculoskeletal impairments. Jette AM, Delitto A. 1997;77:145–154.

Physical therapy utilization by patients with acute low back pain. Mielenz TJ, Carey TS, Dyrek DA, et al. 1997;77:1040–1051.

The relationship between nonorganic signs and centralization of symptoms in the prediction of return to work for patients with low back pain. Karas R, McIntosh G, Hall H, et al. 1997;77:354–360.

- Conference. Rothstein JM, Erhard RE, Nicholson GG, Scalzitti DA. 1997;77:361–368.
- Author comment. 1997;77:369.

Screening for psychological factors in patients with low back problems: Waddell's nonorganic signs. Scalzitti DA. 1997;77:306–312.

The sensitivity and specificity of pain response to activity and position in categorizing patients with low back pain. Roach KE, Brown MD, Albin RD, et al. 1997;77:730–738.

General

[Physical therapy and health outcomes in patients with spinal impairments. Jette DU, Jette AM. 1996;76:940–945.]

- Correction. 1997;77:113.

Whiplash-associated chronic headache treated with home cervical traction. Olson VL. 1997;77:417–424.

Nerve Conduction Studies

A primate model for studying focal dystonia and repetitive strain injury: effects on the primary somatosensory cortex. Byl NN, Merzenich MM, Cheung S, et al. 1997;77:269–284.

Neuromuscular Disorders

General

A primate model for studying focal dystonia and repetitive strain injury: effects on the primary somatosensory cortex. Byl NN, Merzenich MM, Cheung S, et al. 1997;77:269–284.

Multiple Sclerosis

Health-related quality of life for patients with progressive multiple sclerosis: influence of rehabilitation. Di Fabio RP, Choi T, Soderberg J, Hansen CR. 1997;77:1704–1716.

Neuromusculoskeletal Disorders

Parkinson's Disease

Reliability of impairment and physical performance measures for persons with Parkinson's disease. Schenkman M, Cutson TM, Kuchibhatla M, et al. 1997;77:19–27.

Neurophysiology/Neuroanatomy

A primate model for studying focal dystonia and repetitive strain injury: effects on the primary somatosensory cortex. Byl NN, Merzenich MM, Cheung S, et al. 1997;77:269–284.

O

Orthopedics

Fractures

Diagnosis of trochanteric bursitis versus femoral neck stress fracture. Jones DL, Erhard RE. 1997;77:58–67.

General

Physical therapy treatment choices for musculoskeletal impairments. Jette AM, Delitto A. 1997;77:145–154.

Orthoses/Splints/Casts

General

A comparison of gait with solid, dynamic, and no ankle-foot orthoses in children with spastic cerebral palsy. Radtka SA, Skinner SR, Dixon DM, Johanson ME. 1997;77:395–409.

Lower Extremity

The effect of casting combined with stretching on passive ankle dorsiflexion in adults with traumatic head injuries. Moseley AM. 1997;77:240–247.

- Conference. Rothstein JM, Nicholson D, Riolo L, Wiggs L. 1997;77:248–258.
- Author comment. 1997;77:259.
- Letter to the editor. Bohannon RW, Tiberio D, Zito MA. 1997;77:982–983.

Shoe Modifications

Postsurgical hindfoot deformity of a patient with rheumatoid arthritis treated with custom-made foot orthoses and shoe modifications. Shrader JA, Lohmann Siegel K. 1997;77:296–305.

Upper Extremity

Use of neuromuscular electrical stimulation and a dorsal wrist splint to improve the hand function of a child with spastic hemiparesis. Carmick J. 1997;77:661–671.

- Correction. 1997;77:859.

P

Pain

Are patellofemoral pain and quadriceps femoris muscle torque associated with locomotor function? Powers CM, Perry J, Hsu A, Hislop HJ. 1997;77:1063–1075.

- Invited commentary. McClay IS. 1997;77:1075–1077.
- Author response. 1997;77:1077–1078.

A comprehensive treatment approach for patellofemoral pain syndrome in young women. Thomeé R. 1997;77:1690–1703.

Fibromyalgia syndrome: an overview. Krsnich-Shriwise S. 1997;77:68–75.

Physical therapy implications following the TRAM procedure. Monteiro ME. 1997;77:765–770.

Physical therapy treatment choices for musculoskeletal impairments. Jette AM, Delitto A. 1997;77:145–154.

Physical therapy utilization by patients with acute low back pain. Mielenz TJ, Carey TS, Dyrek DA, et al. 1997;77:1040–1051.

A randomized, controlled clinical trial of a treatment for shoulder pain. Ginn KA, Herbert RD, Khouw W, Lee R. 1997;77:802–809.

- Invited commentary. Wilk KE. 1997;77:810–811.
- Author response. 1997;77:811.

The sensitivity and specificity of pain response to activity and position in categorizing patients with low back pain. Roach KE, Brown MD, Albin RD, et al. 1997;77:730–738.

The suppressive effect of electrical stimulation on nociceptive responses in the rat. Wang S-F, Chen Y-W, Shyu B-C. 1997;77:839–847.

Whiplash-associated chronic headache treated with home cervical traction. Olson VL. 1997;77:417–424.

Pediatrics

Equipment

A comparison of gait with solid, dynamic, and no ankle-foot orthoses in children with spastic cerebral palsy. Radtka SA, Skinner SR, Dixon DM, Johanson ME. 1997;77:395–409.

Evaluation

Evaluation of postural stability in children: current theories and assessment tools. Westcott SL, Lowes LP, Richardson PK. 1997;77:629–645.

Treatment

Multidimensional assessment of motor function in a child with cerebral palsy following intrathecal administration of baclofen. Almeida GL, Campbell SK, Girolami GL, et al. 1997;77:751–764.

Peripheral Nerve Lesions

General

The effects of a home exercise program on impairment and health-related quality of life in persons with chronic peripheral neuropathies. Ruhland JL, Shields RK. 1997;77:1026–1039.

Phototherapy

Infrared

Infrared dermal thermometry for the high-risk diabetic foot. Armstrong DG, Lavery LA, Liswood PJ, et al. 1997;77:169–175.

- Invited commentary. Birke J. 1997;77:176–177.
- Author response. 1997;77:177.

Physical Therapy Profession

Professional Issues

A comparison of resource use and cost in direct access versus physician referral episodes of physical therapy. Mitchell JM, de Lissovoy G. 1997;77:10–18.

[Editor's note: On women's health. Rothstein JM. 1996;76:704–705.]

- Letter to the editor. Bauman B. 1997;77:112.

The effect of hospital restructuring on the role of physical therapists in acute care. Lopopolo RB. 1997;77:918–932.

- Invited commentary. Keehn M. 1997:77:933–935.
- Author response. 1997;77:935–936.

Patient sexual behaviors and sexual harassment: a national survey of physical therapists. deMayo RA. 1997;77:739–744.

Posture

General

Aging and the mechanisms underlying head and postural control during voluntary motion. Di Fabio RP, Emasithi A. 1997;77:458–475.

Balance retraining after stroke using force platform biofeedback. Nichols DS. 1997;77:553–558.

[The effect of hamstring muscle stretching on standing posture and on lumbar and hip motions during forward bending. Li Y, McClure PW, Pratt N. 1996;76:836–845.]

- [Invited commentary. Sahrmann SA. 1996;76:845–846.]
- [Invited commentary. Snyder-Mackler L. 1996;76:847.]
- [Author response. 1996;76:847–849.]
- Letter to the editor. Gajdosik RL. 1997;77:438–439.

The effect of multidimensional exercises on balance, mobility, and fall risk in community-dwelling older adults. Shumway-Cook A, Gruber W, Baldwin M, Liao S. 1997;77:46–57.

Evaluation of postural stability in children: current theories and assessment tools. Westcott SL, Lowes LP, Richardson PK. 1997;77:629–645.

The individualized treatment of a patient with benign paroxymal positional vertigo. Ford-Smith CD. 1997;77:848–855.

Light touch contact as a balance aid. Jeka JJ. 1997;77:476–487.

Postural perturbations: new insights for treatment of balance disorders. Horak FB, Henry SM, Shumway-Cook A. 1997;77:517–533.

Rehabilitation of balance in two patients with cerebellar dysfunction. Gill-Body KM, Popat RA, Parker SW, Krebs DE. 1997;77:534–552.

The role of limb movements in maintaining upright stance: the "change-in-support" strategy. Maki BE, McIlroy WE. 1997;77:488–507.

The role of vision and spatial orientation in the maintenance of posture. Wade MG, Jones G. 1997;77:619–628.

Tests and Measurements

Predicting the probability for falls in community-dwelling older adults. Shumway-Cook A, Baldwin M, Polissar NL, Gruber W. 1997;77:812–819.

Professional-Patient Relations

Patient sexual behaviors and sexual harassment: a national survey of physical therapists. deMayo RA. 1997;77:739–744.

Publications and Audiovisual Materials

Letter to the editor. [RE: Treating patients involved in MVA.] Dommerholt J. 1997;77:678.

Pulmonary

Breathing Exercises

Inspiratory muscle training in patients with chronic heart failure awaiting cardiac transplantation: results of a pilot clinical trial. Cahalin LP, Semigran MJ, Dec GW. 1997;77:830–838.

- Letter to the editor. Collins SM. 1997; 77:1763.
- Author response. 1997;77:1764–1765.

General

The disablement process in patients with pulmonary disease. Jette DU, Manago D, Medved E, et al. 1997;77:385–394.

• Correction. 1997;77:561.

[Effects of assistive devices on cardiorespiratory demands in older adults. Foley MP, Prax B, Crowell R, Boone T. 1996;76:1313–1319.]

• Letter to the editor. Chung F, Roy L. 1997;77:561, 563.

• Author response. 1997;77:563.

Oxygen transport deficits in systemic disease and implications for physical therapy. Dean E. 1997;77:187–202.

Tests and Measurements

The effectiveness of incentive spirometry with physical therapy for high-risk patients after coronary artery bypass surgery. Crowe JM, Bradley CA. 1997;77:260–268.

R

Rehabilitation

The effect of casting combined with stretching on passive ankle dorsiflexion in adults with traumatic head injuries. Moseley AM. 1997;77:240–247.

• Conference. Rothstein JM, Nicholson D, Riolo L, Wiggs L. 1997;77:248–258.

• Author comment. 1997;77:259.

• Letter to the editor. Bohannon RW, Tiberio D, Zito MA. 1997;77:982–983.

Functional limitations in patients with diabetes and transmetatarsal amputations. Mueller MJ, Salsich GB, Strube MJ. 1997;77:937–943.

Health-related quality of life for patients with progressive multiple sclerosis: influence of rehabilitation. Di Fabio RP, Choi T, Soderberg J, Hansen CR. 1997; 77:1704–1716.

Letter to the editor. [RE: Treating patients involved in MVA.] Dommerholt J. 1997;77:678.

Light touch contact as a balance aid. Jeka J J. 1997;77:476–487.

Mechanisms of ataxia. Bastian AJ. 1997;77:672–675.

• Letter to the editor. Panturin E. 1997; 77:1112.

• Author response. 1997;77:1112–1113.

A nonsurgical treatment approach for patients with lumbar spinal stenosis. Fritz JM, Erhard RE, Vignovic M. 1997;77:962–973.

Open versus closed kinetic chain exercise: issues in rehabilitation after anterior cruciate ligament reconstructive surgery. Fitzgerald GK. 1997;77:1747–1754.

Postsurgical hindfoot deformity of a patient with rheumatoid arthritis treated with custom-made foot orthoses and shoe modifications. Shrader JA, Lohmann Siegel K. 1997;77:296–305.

Research

Attitudes toward standardized data collection. Russek L, Wooden M, Ekedahl S, Bush A. 1997;77:714–729.

S

Skin Conditions

Infrared dermal thermometry for the high-risk diabetic foot. Armstrong DG, Lavery LA, Liswood PJ, et al. 1997;77:169–175.

• Invited commentary. Birke J. 1997;77:176–177.

• Author response. 1997;77:177.

Spinal Cord Dysfunction

General

Locomotion in patients with spinal cord injuries. Dietz V, Wirz M, Jensen L. 1997;77:508–516.

T

Tests and Measurements

Functional

Comparison of upper-extremity balance tasks and force platform testing in persons with hemiparesis. Fishman MN, Colby LA, Sachs LA, Nichols DS. 1997;77:1052–1062.

The disablement process in patients with pulmonary disease. Jette DU, Manago D, Medved E, et al. 1997;77:385–394.

• Correction. 1997;77:561.

Estimates of weight that subjects can lift frequently in functional capacity evaluations. Saunders RL, Beissner KL, McManis BG. 1997;77:1717–1728.

Evaluation of health-related quality of life in individuals with vestibular disease using disease-specific and general outcome measures. Enloe LJ, Shields RK. 1997;77:890–903.

Intraobserver and interobserver reliability of assessments of impairments and disabilities. Hendriks EJM, Brandsma JW, Heerkens YF, et al. 1997;77:1097–1106.

Multidimensional assessment of motor function in a child with cerebral palsy following intrathecal administration of baclofen. Almeida GL, Campbell SK, Girolami GL, et al. 1997;77:751–764.

The Patient-Specific Functional Scale: measurement properties in patients with knee dysfunction. Chatman AB, Hyams SP, Neel JM, et al. 1997;77:820–829.

Reliability of impairment and physical performance measures for persons with Parkinson's disease. Schenkman M, Cutson TM, Kuchibhatla M, et al. 1997;77:19–27.

The Shoulder Pain and Disability Index: the construct validity and responsiveness of a region-specific disability measure. Heald SL, Riddle DL, Lamb RL. 1997;77:1079–1089.

Use of the "Fast Evaluation of Mobility, Balance, and Fear" in elderly community dwellers: validity and reliability. Di Fabio RP, Seay R. 1997;77:904–917.

General

Attitudes toward standardized data collection. Russek L, Wooden M, Ekedahl S, Bush A. 1997;77:714–729.

The effectiveness of incentive spirometry with physical therapy for high-risk patients after coronary artery bypass surgery. Crowe JM, Bradley CA. 1997;77:260–268.

Electromyographic amplitude and frequency changes in the iliocostalis lumborum and multifidus muscles during a trunk holding test. Ng JK-F, Richardson CA, Jull GA. 1997;77:954–961.

Evaluation of postural stability in children: current theories and assessment tools. Westcott SL, Lowes LP, Richardson PK. 1997;77:629–645.

Learning and understanding the Kruskal-Wallis one-way analysis-of-variance-by-ranks test for differences among three or more independent groups. Chan Y, Walmsley RP. 1997;77:1755–1762.

Predicting the probability for falls in community-dwelling older adults. Shumway-Cook A, Baldwin M, Polissar NL, Gruber W. 1997;77:812–819.

The relationship between nonorganic signs and centralization of symptoms in the prediction of return to work for patients with low back pain. Karas R, McIntosh G, Hall H, et al. 1997;77:354–360.

- Conference. Rothstein JM, Erhard RE, Nicholson GG, Scalzitti DA. 1997;77: 361–368.
- Author comment. 1997;77:369.

Screening for psychological factors in patients with low back problems: Waddell's nonorganic signs. Scalzitti DA. 1997;77:306–312.

Use of the standard error as a reliability index of interest: an applied example using elbow flexor strength data. Stratford PW, Goldsmith CH. 1997;77:745–750.

Traction

Whiplash-associated chronic headache treated with home cervical traction. Olson VL. 1997;77:417–424.

Transcutaneous Electrical Nerve Stimulation

Effect of transcutaneous electrical nerve stimulation on the pressor response to static handgrip exercise. Hollman JE, Morgan BJ. 1997;77:28–36.

The suppressive effect of electrical stimulation on nociceptive responses in the rat. Wang S-F, Chen Y-W, Shyu B-C. 1997;77:839–847.

U

Upper Extremity

Elbow

Use of the standard error as a reliability index of interest: an applied example using elbow flexor strength data. Stratford PW, Goldsmith CH. 1997;77:745–750.

General

Comparison of upper-extremity balance tasks and force platform testing in persons with hemiparesis. Fishman MN, Colby LA, Sachs LA, Nichols DS. 1997;77:1052–1062.

Hand and Wrist

Use of neuromuscular electrical stimulation and a dorsal wrist splint to improve the hand function of a child with spastic hemiparesis. Carmick J. 1997;77:661–671.

- Correction. 1997;77:859.

Shoulder

A randomized, controlled clinical trial of a treatment for shoulder pain. Ginn KA, Herbert RD, Khouw W, Lee R. 1997;77:802–809.

- Invited commentary. Wilk KE. 1997;77:810–811.
- Author response. 1997;77:811.

The Shoulder Pain and Disability Index: the construct validity and responsiveness of a region-specific disability measure. Heald SL, Riddle DL, Lamb RL. 1997;77:1079–1089.

V

Vestibular System

Advances in the treatment of vestibular disorders. Herdman SJ. 1997;77:602–618.

Evaluation of health-related quality of life in individuals with vestibular disease using disease-specific and general outcome measures. Enloe LJ, Shields RK. 1997;77:890–903.

Light touch contact as a balance aid. Jeka JJ. 1997;77:476–487.